

Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 1 / 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

HENSOTHERM® 461 KS

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Fire retardant coating

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Rudolf Hensel GmbH
Lauenburger Landstr. 11
21039 Börnsen / GERMANY
Phone +49 (0)40-72 10 62 10
Fax +49 (0)40-72 10 62 52
Homepage www.rudolf-hensel.de
E-mail info@rudolf-hensel.de

Address enquiries to

Technical information

info@rudolf-hensel.de

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Company

+49 (0)40-72 10 62 10 (7:00 - 17:00) 0172 4115390 (17:00 - 07:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Carc. 2: H351 Suspected of causing cancer.
Repr. 2: H361f Suspected of damaging fertility.
STOT RE 2: H373 May cause damage to organs (urinary tract) through prolonged or repeated exposure.

2.2 Label elements

Hazard pictograms



The product is required to be labelled in accordance with regulation CLP.

Signal word

WARNING

Contains:

Melamine

Hazard statements

H351 Suspected of causing cancer.
H361f Suspected of damaging fertility.
H373 May cause damage to organs (urinary tract) through prolonged or repeated exposure.

Precautionary statements

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe vapours / spray.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P308+P313 IF exposed or concerned: Get medical advice / attention.
P501 Dispose of contents/container in accordance with local/national regulation.

Special labelling

Product treated with preservatives CMIT/MIT (3:1).

Contains: 2-Methyl-2H-isothiazolin-3-one, Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one. EUH208 May produce an allergic reaction.



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 2 / 15

2.3 Other hazards

Human health dangers	It is essential for pregnant women to avoid inhaling the product and not to let it come in contact with the skin.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	Contains no ingredients with endocrine-disrupting properties. Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - <15	Melamine CAS: 108-78-1, EINECS/ELINCS: 203-615-4, EU-INDEX: 613-345-00-2, Reg-No.: 01-2119485947-16-XXXX GHS/CLP: Carc. 2: H351 - Repr. 2: H361f - STOT RE 2: H373
0,00015 - <0,0015	2-Methyl-2H-isothiazolin-3-one CAS: 2682-20-4, EINECS/ELINCS: 220-239-6, EU-INDEX: 613-326-00-9, Reg-No.: 01-2120764690-50-XXXX GHS/CLP: Acute Tox. 3: H301 H311 - Acute Tox. 2: H330 - Skin Corr. 1B: H314 - Eye Dam. 1: H318 - Skin Sens. 1A: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - EUH071, M-Factor (acute): 10, M-Factor (chronic): 1 SCL [%]: >=0,0015: Skin Sens. 1: H317
0,00015 - <0,0015	Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one CAS: 55965-84-9, EINECS/ELINCS: 911-418-6, Reg-No.: 01-2120764691-48-XXXX GHS/CLP: Acute Tox. 3: H301 - Acute Tox. 2: H310 H330 - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Skin Sens. 1A: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - EUH071, M-Factor (acute): 100, M-Factor (chronic): 100 SCL [%]: >= 0,6: Eye Dam. 1: H318, 0,06 - <0,6: Eye Irrit. 2: H319, >= 0,6: Skin Corr. 1A: H314, 0,06 - <0,6: Skin Irrit. 2: H315, >= 0,0015: Skin Sens. 1: H317

Comment on component parts For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions
Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 3 / 15

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

The normal safety precautions for handling chemicals must be observed.

Use only in well-ventilated areas.

Provide suitable vacuuming at the processing area.

Do not eat, drink, smoke or take drugs at work.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Protect from heat/overheating.

Keep in a cool place. Store in a dry place.

Storage class (TRGS 510)

Storage class 10 (VCI)

7.3 Specific end use(s)

See product use, SECTION 1.2



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 4 / 15

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored DE (TRGS 900)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Melamine, CAS: 108-78-1
Industrial, dermal, Acute - systemic effects, 117 mg/kg
Industrial, inhalative, Acute - systemic effects, 82,3 mg/m ³
Industrial, inhalative, Long-term - systemic effects, 8,3 mg/m ³
Industrial, dermal, Long-term - systemic effects, 11,8 mg/kg
general population, inhalative, Long-term - systemic effects, 1,5 mg/m ³
general population, dermal, Long-term - systemic effects, 4,2 mg/kg
general population, oral, Long-term - systemic effects, 0,42 mg/kg
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
Industrial, inhalative, Long-term - local effects, 21 µg/m ³
Industrial, inhalative, Acute - local effects, 43 µg/m ³
general population, oral, Long-term - systemic effects, 27 µg/kg bw/day
general population, oral, Acute - systemic effects, 53 µg/kg bw/day
general population, inhalative, Long-term - local effects, 21 µg/m ³
general population, inhalative, Acute - local effects, 43 µg/m ³
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
Industrial, inhalative, Long-term - local effects, 0,02 mg/m ³
Industrial, inhalative, Acute - local effects, 0,04 mg/m ³
general population, inhalative, Acute - local effects, 0,04 mg/m ³
general population, inhalative, Long-term - local effects, 0,02 mg/m ³
general population, oral, Long-term - systemic effects, 0,09 mg/kg bw/day
general population, oral, Acute - systemic effects, 0,11 mg/kg bw/day

PNEC

Substance
Melamine, CAS: 108-78-1
freshwater, 0,51 mg/L
seawater, 0,051 mg/L
sediment (freshwater), 2,524 mg/kg sediment dw
sediment (seawater), 0,252 mg/kg sediment dw
soil, 0,206 mg/kg soil dw
sewage treatment plants (STP), 200 mg/L
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
freshwater, 3,39 µg/L
seawater, 3,39 µg/L
sewage treatment plants (STP), 230 µg/L
soil, 47 µg/kg soil dw
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024 Version 4.0. Supersedes version: 3.0 Page 5 / 15

freshwater, 3,39 µg/L
seawater, 3,39 µg/L
sewage treatment plants (STP), 0,23 mg/L
sediment (freshwater), 0,027 mg/kg sediment dw
sediment (seawater), 0,027 mg/kg sediment dw
soil, 0,01 mg/kg soil dw

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,7 mm Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact during pregnancy/ while nursing.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter P2. (DIN EN 143)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 6 / 15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	pasty
Color	white
Odor	characteristic
Odour threshold	not required
pH-value	7,8 - 8,6
pH-value [1%]	not determined
Boiling point or initial boiling point and boiling range [°C]	not determined
Flash point [°C]	not applicable
Flammability	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm ³]	1,3 - 1,4 (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	miscible
Solubility other solvents	not relevant
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	9000 - 14000 mPa.s (20°C)
Relative vapour density	not relevant
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	not relevant

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 7 / 15

10.5 Incompatible materials

not relevant

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 8 / 15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

Product
ATE-mix, oral, > 2000 mg/kg
Substance
Melamine, CAS: 108-78-1
LD50, oral, Rat (female), 3828 mg/kg
LD50, oral, Rat (male), 3161 mg/kg
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
LD50, oral, Rat, 120 mg/kg bw
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
LD50, oral, Rat, 64 mg/kg

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Product
ATE-mix, dermal, > 2000 mg/kg
Substance
Melamine, CAS: 108-78-1
LD50, dermal, Rat, > 2000 mg/kg
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
LD50, dermal, Rat, 242 mg/kg bw
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
LD50, dermal, Rabbit, 87 mg/kg

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Product
ATE-mix, inhalativ (mist), > 5 mg/l 4h
Substance
Melamine, CAS: 108-78-1
LC50, inhalative, Rat, 5,19 mg/l, OECD 403, 4h
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
LC50, inhalative, Rat, 340 µg/m³
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
LC50, inhalative, Rat, 0,33 mg/L 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Melamine, CAS: 108-78-1
Eye, non-irritating
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
Eye, Causes serious eye damage.
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
Eye, Rabbit, In vivo study, corrosive



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 9 / 15

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Melamine, CAS: 108-78-1
Rabbit, OECD 404, non-irritating
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
Rabbit, in vivo, corrosive
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
dermal, Rabbit, OECD 404, corrosive

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.
May cause an allergic skin reaction.

Substance
Melamine, CAS: 108-78-1
Guinea pig, OECD 406, non-sensitizing
inhalative, non-sensitizing
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
dermal, Guinea pig, OECD 429, sensitising
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
dermal, In vivo study, sensitising

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

May cause damage to organs (urinary tract) through prolonged or repeated exposure.

Substance
Melamine, CAS: 108-78-1
NOAEL, oral, Rat, 72 mg/kg bw/day (subchronic), adverse effect observed
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
NOAEL, oral, Rat, 19 mg/kg bw/day, no adverse effect observed
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
NOAEL, oral, Dog, 22 mg/kg bw/day, OECD 409, The effects observed are not sufficient for classification.
NOAEL, dermal, Rat, 0,1 mg/kg bw/day, In vivo study, The effects observed are not sufficient for classification.
NOAEC, inhalative, Rat, 2,36 mg/m ³ , OECD 413, The effects observed are not sufficient for classification.

Mutagenicity

Does not contain a relevant substance that meets the classification criteria.

Substance
Melamine, CAS: 108-78-1
in vitro, negativ
in vivo, negativ
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
in vivo, negativ
in vitro, OECD 471, negativ
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
In vitro study, no adverse effect observed

Reproduction toxicity

Suspected of damaging fertility.

- Fertility

Substance



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024 Version 4.0. Supersedes version: 3.0 Page 10 / 15

Melamine, CAS: 108-78-1
NOAEL, oral, Rat, 89 mg/kg bw/day (subchronic), adverse effect observed
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
NOAEL, oral, Rat, 69 mg/kg bw/day, no adverse effect observed
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
NOAEL, oral, Rat, 22,7 mg/kg bw/day, OECD 416, no adverse effect observed

- Development

Substance
Melamine, CAS: 108-78-1
NOAEL, oral, Rabbit, 150 mg/kg bw/day (subacute), no adverse effect observed
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
NOAEL, oral, Rabbit, 30 mg/kg bw/day (chronic), no adverse effect observed
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
NOAEL, oral, Rat, 100 mg/kg bw/day, OECD 415, no adverse effect observed, Effect on developmental toxicity,

Carcinogenicity

Suspected of causing cancer.
Toxicological data of complete product are not available.

Substance
Melamine, CAS: 108-78-1
LOAEL, oral, Rat, 126 mg/kg bw/day (chronic), adverse effect observed
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
NOAEL, dermal, mouse, 400 mg/kg bw/day (chronic), no adverse effect observed
NOAEL, oral, Rat, 3,1 mg/kg bw/day, no adverse effect observed
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
NOAEL, oral, Rat, 17,2 mg/kg bw/day, OECD 453, no adverse effect observed

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information

none

Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 11 / 15

SECTION 12: Ecological information

12.1 Toxicity

Substance
Melamine, CAS: 108-78-1
LC50, (96h), Oncorhynchus kisutch, > 3000 mg/L
EC50, (48h), Daphnia magna, 200 mg/L EPA OPP 72-2
NOEC, (21d), Daphnia magna, >= 11 mg/L OECD 211
ErC50, (96h), Pseudokirchneriella subcapitata, 325 mg/L PRO/FT Algae-AC090-6
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
LC50, (96h), Fish, 4,77 mg/L
EC50, (48h), Invertebrates, 934 µg/L
EC50, (96h), Algae, 72 µg/L
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss, 0,22 mg/L OECD 203
EC50, (48h), Skeletonema costatum, 0,0052 mg/L (ISO 10253) RAC
EC50, (48h), Daphnia magna, 0,1 mg/L OECD 202
EC50, (72h), Pseudokirchneriella subcapitata, 0,048 mg/L OECD 201
NOEC, (48h), Skeletonema costatum, 0,00064 mg/L (ISO 10253) RAC
NOEC, (21d), Daphnia magna, 0,004 mg/L OECD 211
NOEC, (28d), Oncorhynchus mykiss, 0,098 mg/L OECD 215
NOEC, (72h), Pseudokirchneriella subcapitata, 0,0012 mg/L OECD 201

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

None known.



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024 Version 4.0. Supersedes version: 3.0 Page 12 / 15

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.
Dispose of as hazardous waste.

Waste no. (recommended) 080119*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances
150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 13 / 15

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 14 / 15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	SVHC (Candidate List of Substances of Very High Concern for authorisation) ≥ 0.1% CAS 108-78-1 - Melamine
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)
NATIONAL REGULATIONS (DE):	Hazardous Substances Ordinance - GefStoffV 21.07.2021; Detergent and Cleaning Agents Act - WRMG; Federal Water Act - WHG; Technical Rule for Hazardous Substances - TRGS: 200, 220, 615, 900, 905.
- Water hazard class	2, conf. AwSV, 18.04.2017
- Decree for case of interference, observe limits	no
- Class. according to TA-Luft	not applicable
- Storage class (TRGS 510)	Storage class 10 (VCI)
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	0 %
- Other regulations	TRGS 510: Storage of hazardous substances in non-stationary containers

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H310+H330 Fatal in contact with skin or if inhaled.
H301 Toxic if swallowed.
EUH071 Corrosive to the respiratory tract.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
H330 Fatal if inhaled.
H301+H311 Toxic if swallowed or in contact with skin.

H373 May cause damage to organs through prolonged or repeated exposure.
H361f Suspected of damaging fertility.
H351 Suspected of causing cancer.

Rudolf Hensel GmbH
21039 Börnsen

Date printed 08.10.2024, Revision 08.10.2024

Version 4.0. Supersedes version: 3.0

Page 15 / 15

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Carc. 2: H351 Suspected of causing cancer. (Calculation method)
Repr. 2: H361f Suspected of damaging fertility. (Calculation method)
STOT RE 2: H373 May cause damage to organs (urinary tract) through prolonged or repeated exposure. (Calculation method)

Modified position

1.3, 2.1, 2.2, 2.3, 3.2, 6.1, 6.2, 6.3, 6.4, 8.1, 9.1, 9.2, 11.1, 11.2, 12.6, 12.7, 15.1, 16.2, 16.3

Copyright: Chemiebüro®