#### **HOLZGRUND AQ**



# Rudolf Hensel GmbH 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024 Version 6.0 Page 1 / 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### **HOLZGRUND AQ**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesion mediator

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Rudolf Hensel GmbH

Lauenburger Landstr. 11 21039 Börnsen / GERMANY Phone +49 (0)40-72 10 62 10 Fax +49 (0)40-72 10 62 52 Homepage www.rudolf-hensel.de E-mail info@rudolf-hensel.de

Address enquiries to

Technical information info@rudolf-hensel.de

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Company +49 (0)40-72 10 62 10 (7:00 - 17:00) 0172 4115390 (17:00 - 07:00)

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Hazard statements none

**Special labelling** EUH210 Safety data sheet available on request.

Product treated with preservatives

METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE (3:1).

2004/42/CE 0 g/l II A i WB One-pack performance coatings (max. 140 g/l)

2.3 Other hazards

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards** Does not contain any PBT or vPvB substances.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further hazards were not determined with the current level of knowledge.

# **SECTION 3: Composition / Information on ingredients**

### 3.1 Substances

not applicable

Other hazards

#### **HOLZGRUND AQ**



# **Rudolf Hensel GmbH** 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024	Version 6.0	Page 2 / 11
--	-------------	-------------

#### 3.2 **Mixtures**

#### The product is a mixture.

Range [%]	Substance
<0,1	2-Bromo-2-nitropropane-1,3-diol
	CAS: 52-51-7, EINECS/ELINCS: 200-143-0, EU-INDEX: 603-085-00-8
	GHS/CLP: Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - Eye Dam. 1: H318 - Skin Irrit. 2: H315 - STOT SE 3: H335 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, M-Factor (acute): 10
< 0,0015	Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1)
	CAS: 55965-84-9, EINECS/ELINCS: 611-341-5, EU-INDEX: 613-167-00-5
	GHS/CLP: Acute Tox. 3: H301 - Acute Tox. 2: H310 H330 - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Skin Sens. 1A: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - EUH071, M-Factor (acute): 100, M-Factor (chronic): 100
	SCL [%]: 0,06 - <0,6: Skin Irrit. 2: H315, 0,06 - <0,6: Eye Irrit. 2: H319, >=0,6: Skin Corr. 1C: H314, >=0,6: Eye Dam. 1: H318, >=0,0015: Skin Sens. 1A: H317

Comment on component parts

For full text of H-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

**General information** Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Get medical advice.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

#### Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

#### Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

#### **HOLZGRUND AQ**



# Rudolf Hensel GmbH 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024

Version 6.0

Page 3 / 11

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

The normal safety precautions for handling chemicals must be observed.

Use only in well-ventilated areas.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed. Protect from heat/overheating.

torage class (TRGS 510) Storage class 12 (VCI)

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

#### SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored DE (TRGS 900)

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9, EINECS/ELINCS: 611-341-5, EU-INDEX: 613-167-00-5

Exposure limit: 0,2 mg/m³, einatembare Fraktion (DFG)

Factor: 0,4 mg/m<sup>3</sup>

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

#### **HOLZGRUND AQ**



# **Rudolf Hensel GmbH** 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024 Version 6.0 Page 4 / 11

#### 8.2 **Exposure controls**

Additional advice on system design Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection 0,4 mm butyl rubber, > 120 min (EN 374)

The details concerned are recommendations. Please contact the glove supplier for further

information.

Skin protection Protective clothing (EN 340)

Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale aerosols.

In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear Respiratory protection

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions.

#### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state liquid **Form** liquid Color colourless Odor characteristic **Odour threshold** not required pH-value 4 - 6

pH-value [1%]

Boiling point or initial boiling point

and boiling range [°C]

not determined not determined

Flash point [°C] not applicable

**Flammability** no

Lower explosion limit not applicable Upper explosion limit not applicable

Oxidising properties

Vapour pressure/gas pressure [kPa] not determined

0,96 - 1,06 (20 °C / 68,0 °F) Density [g/cm<sup>3</sup>]

Relative density not determined Bulk density [kg/m³] not applicable Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not determined

Kinematic viscosity 10 - 14 s (ISO 2431 4mm)

Relative vapour density not relevant Melting point [°C] not determined Auto-ignition temperature [°C] not self-igniting Decomposition temperature [°C] not determined Particle characteristics not applicable





# Rudolf Hensel GmbH 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024 Version 6.0 Page 5 / 11

#### 9.2 Other information

none

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

The product is stable under standard conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

See SECTION 7

### 10.5 Incompatible materials

not determined

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **HOLZGRUND AQ**



# Rudolf Hensel GmbH 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024 Version 6.0 Page 6 / 11

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity not determined

Product

ATE-mix, oral, > 2000 mg/kg

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LD50, oral, Rat, 53 mg/kg

LD50, oral, 64 mg/kg (ECHA, CLH Report)

Acute dermal toxicity not determined

Product

ATE-mix, dermal, > 2000 mg/kg

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LD50, dermal, Rabbit, 87,12 mg/kg (ECHA, CLH Report)

Acute inhalational toxicity not determined

Product

ATE-mix, inhalativ (mist), > 5 mg/l 4h

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LC50, inhalative, Rat, 0,171 mg/l/4h (ECHA, CLH Report)

Serious eye damage/irritation Does not contain a relevant substance that meets the classification criteria.

Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

Causes serious eye damage.

**Skin corrosion/irritation**Does not contain a relevant substance that meets the classification criteria.

Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

corrosive

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

dermal, sensitising

Specific target organ toxicity — single exposure

Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.

#### **HOLZGRUND AQ**



# Rudolf Hensel GmbH 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024 Version 6.0 Page 7 / 11

Specific target organ toxicity — repeated exposure

Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

Mutagenicity

Does not contain a relevant substance that meets the classification criteria.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfille Toxicological data of complete product are not available.

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

in vitro, negativ

in vivo, negativ

**Reproduction toxicity**Does not contain a relevant substance that meets the classification criteria.

Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.

Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

**Aspiration hazard** Does not contain a relevant substance that meets the classification criteria.

Based on the available information, the classification criteria are not fulfilled.

General remarks

none

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other information

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Substance

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LC50, (96h), Oncorhynchus mykiss, 0,19 mg/l

EC50, (48h), Daphnia magna, 0,18 mg/l

ErC50, Skeletonema costatum, 0,003 mg/l

#### 12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant not determined
Biological degradability not determined

### 12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

#### 12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

#### **HOLZGRUND AQ**



# **Rudolf Hensel GmbH** 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024

Version 6.0

Page 8 / 11

#### 12.7 Other adverse effects

None known.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

For recycling, consult manufacturer.

Waste no. (recommended)

080112

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102 150104

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS

**IMDG** 

Inland navigation (ADN)

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

# **HOLZGRUND AQ**



# **Rudolf Hensel GmbH** 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024 Version 6.0 Page 9 / 11

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

not applicable Inland navigation (ADN)

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID

nο

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

#### **HOLZGRUND AQ**



# Rudolf Hensel GmbH 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024 Version 6.0 Page 10 / 11

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances  $\geq$  0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not

contain any substances  $\geq 0.1\%$  that are restricted.

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (DE): Hazardous Substances Ordinance - GefStoffV 21.07.2021; Detergent and Cleaning Agents

Act - WRMG; Federal Water Act - WHG; Technical Rule for Hazardous Substances - TRGS:

200, 220, 615, 900, 905.

- Water hazard class 1, conf. AwSV, 18.04.2017

- Decree for case of interference,

observe limits

...

- Class. according to TA-Luft not applicable

Storage class (TRGS 510) Storage class 12 (VCI)

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0 g/l

- Other regulations not applicable

### 15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.

H335 May cause respiratory irritation.

H315 Causes skin irritation

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

EUH071 Corrosive to the respiratory tract.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage. H310+H330 Fatal in contact with skin or if inhaled.

H301 Toxic if swallowed.

#### **HOLZGRUND AQ**



# Rudolf Hensel GmbH 21039 Börnsen

Date printed 23.01.2024, Revision 23.01.2024

Version 6.0 Page 11 / 11

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure

**Modified position** 1.3, 2.2, 2.3, 3.2, 8.1, 9.1, 11.1, 11.2, 12.6, 12.7, 15.1, 16.2, 16.3

Copyright: Chemiebüro®